

БИМЕДИЦИНА ВА АМАЛИЁТ ЖУРНАЛИ


8 ЖИЛД, 1 СОН

ЖУРНАЛ БИМЕДИЦИНЫ И ПРАКТИКИ

ТОМ 8, НОМЕР 1

JOURNAL OF BIOMEDICINE AND PRACTICE

VOLUME 8, ISSUE 1



Бош муҳаррир:

Ризаев Жасур Алимжанович
тиббиёт фанлари доктори, профессор,
Самарқанд давлат тиббиёт университети ректори
ORCID ID: 0000-0001-5468-9403

Бош муҳаррир ўринбосари:

Зиядуллаев Шухрат Худайбердиевич
тиббиёт фанлари доктори, Самарқанд давлат тиббиёт
университети Илмий ишлар ва инновациялар бўйича
проректори, **ORCID ID:** 0000-0002-9309-3933

Масъул котиб:

Самиева Гулноза Утқуровна
тиббиёт фанлари доктори, доцент,
Самарқанд давлат тиббиёт университети
ORCID ID: 0000-0002-6142-7054

Нашр учун масъул:

Шаханова Шахноза Шавкатовна
PhD, Самарқанд давлат тиббиёт университети,
онкология кафедраси
ORCID ID: 0000-0003-0888-9150

ТАХРИРИЯТ КЕНГАШИ:

Арипова Тамара Уктамовна

*Иммунология ва инсон геномикаси институти директори –
тиббиёт фанлари доктори, профессор, Ўзбекистон
Республикаси Фанлар академияси академиги*

Jin Young Choi

*Сеул миллий университети Стоматология мактаби оғиз ва
юз-жағ жаррохлиги департаменти профессори, Жанубий
Кореянинг юз-жағ ва эстетик жаррохлик ассоциацияси
президенти*

Абдуллаева Наргиза Нурмаатовна

*тиббиёт фанлари доктори, профессор, Самарқанд
давлат тиббиёт университети проректори, 1-клиникаси бош
врачи. **ORCID ID:** 0000-0002-7529-4248*

Худоярова Дилдора Рахимовна

*тиббиёт фанлари доктори, доцент, Самарқанд давлат
тиббиёт университети №1-сон Акушерлик ва гинекология
кафедраси мудири
ORCID ID: 0000-0001-5770-2255*

Орипов Фирдавс Суръатович

*тиббиёт фанлари доктори, доцент, Самарқанд давлат
тиббиёт университети Гистология, цитология ва
эмбриология кафедраси мудири
ORCID ID: 0000-0002-0615-0144*

Мавлянов Фарход Шавкатович

*тиббиёт фанлари доктори, Самарқанд давлат тиббиёт
университети болалар жаррохлиги кафедраси доценти
ORCID ID: 0000-0003-2650-4445*

Акбаров Миршавкат Миролимович

*тиббиёт фанлари доктори, В.Ваҳидов номидаги
Республика ихтисослаштирилган жаррохлик маркази*

Саидов Саидамир Аброрович

*тиббиёт фанлар доктори,
Тошкент фармацевтика институти
ORCID ID: 0000-0002-6616-5428*

Бабалжанов Ойбек Абдужаббарович

*тиббиёт фанлари доктори, Тошкент педиатрия
тиббиёт институти, Тери-таносил, болалар
тери-таносил касалликлари ва ОИТС
ORCID ID: 0000-0002-3022-916X*

Теребаев Билим Алдамуратович

*тиббиёт фанлари номзоди, доцент, Тошкент
педиатрия тиббиёт институти Факультет болалар
хирургия кафедраси. **ORCID ID:** 0000-0002-5409-4327*

Юлдашев Ботир Ахматович

*тиббиёт фанлари номзоди,
Самарқанд давлат тиббиёт университети
№2-сон Педиатрия, неонатология ва болалар
касаликлари пропедевтикаси кафедраси доценти.
ORCID ID: 0000-0003-2442-1523*

Ибрагимова Малика Худайбергеновна

*тиббиёт фанлари доктори, профессор
Тошкент давлат стоматология институти
ORCID ID: 0000-0002-9235-1742*

Рахимов Нодир Махамматкулович

*тиббиёт фанлари доктори, Самарқанд давлат
тиббиёт университети, онкология кафедраси доценти
ORCID ID: 0000-0001-5272-5503*

Саҳифаловчи: Хуршид Мирзахмедов

Контакт редакций журналлов. www.tadqiqot.uz

ООО Tadqiqot город Ташкент,
улица Амира Темура пр.1, дом-2.
Web: <http://www.tadqiqot.uz/>; E-mail: info@tadqiqot.uz
Тел: (+998-94) 404-0000

Editorial staff of the journals of www.tadqiqot.uz

Tadqiqot LLC The city of Tashkent,
Amir Temur Street pr.1, House 2.
Web: <http://www.tadqiqot.uz/>; E-mail: info@tadqiqot.uz
Phone: (+998-94) 404-0000

Главный редактор:

Ризаев Жасур Алимджанович
доктор медицинских наук, профессор, Ректор
Самаркандского государственного медицинского
университета, **ORCID ID:** 0000-0001-5468-9403

Заместитель главного редактора:

Зиядуллаев Шухрат Худайбердиевич
доктор медицинских наук, проректор по научной
работе и инновациям Самаркандского государственного
медицинского университета, **ORCID ID:** 0000-0002-9309-

Ответственный секретарь:

Самиева Гульноза Уткуровна
доктор медицинских наук, доцент Самаркандского
государственного медицинского университета.
ORCID ID: 0000-0002-6142-7054

Ответственный за публикацию:

Шаханова Шахноза Шавкатовна
PhD кафедры онкологии Самаркандского
государственного медицинского университета
ORCID ID: 0000-0003-0888-9150

РЕДАКЦИОННЫЙ КОЛЛЕГИЯ:

Арипова Тамара Уктамовна

директор Института иммунологии и геномики человека
доктор медицинских наук, профессор, академик АН РУз

Jin Young Choi

профессор департамента оральной и челюстно-лицевой
хирургии школы стоматологии Стоматологического
госпиталя Сеульского национального университета,
Президент Корейского общества челюстно-лицевой и
эстетической хирургии

Абдуллаева Наргиза Нурмаатовна

доктор медицинских наук, профессор, проректор
Самаркандского государственного медицинского
университета, **ORCID ID:** 0000-0002-7529-4248

Худоярова Дилдора Рахимовна

доктор медицинских наук, доцент, заведующая кафедрой
Акушерства и гинекологии №1 Самаркандского
государственного медицинского университета
ORCID ID: 0000-0001-5770-2255

Орипов Фирдавс Суръатович

доктор медицинских наук, доцент, заведующий кафедрой
Гистологии, цитологии и эмбриологии Самаркандского
государственного медицинского университета
ORCID ID: 0000-0002-0615-0144

Мавлянов Фарход Шавкатович

доктор медицинских наук, доцент кафедры Детской
хирургии Самаркандского государственного медицинского
университета, **ORCID ID:** 0000-0003-2650-4445

Акбаров Миршавкат Миролимович

доктор медицинских наук,
Республиканский специализированный центр
хирургии имени академика В.Вахидова

Саидов Саидмир Аброрович

доктор медицинских наук, Ташкентский
фармацевтический институт
ORCID ID: 0000-0002-6616-5428

Бабаджанов Ойбек Абдужаббарович

доктор медицинских наук, Ташкентский педиатрический
медицинский институт, кафедра Дерматовенерология, детская
дерматовенерология и СПИД, **ORCID ID:** 0000-0002-3022-916X

Теребаев Билим Алдамуратович

кандидат медицинских наук, доцент кафедры Факультетской
детской хирургии Ташкентского педиатрического
медицинского института.
ORCID ID: 0000-0002-5409-4327

Юлдашев Ботир Ахматович

кандидат медицинских наук, доцент кафедры Педиатрии,
неонатологии и протекции детских болезней №2
Самаркандского государственного медицинского университета
ORCID ID: 0000-0003-2442-1523

Ибрагимова Малика Худайбергеновна

доктор медицинских наук, профессор
Ташкентского государственного
стоматологического института
ORCID ID: 0000-0002-9235-1742

Рахимов Нодир Махамматкулович

доктор медицинских наук, доцент кафедры
онкологии Самаркандского государственного
медицинского университета
ORCID ID: 0000-0001-5272-5503

Верстка: Хуршид Мирзахмедов

Контакт редакций журналов. www.tadqiqot.uz
ООО Tadqiqot город Ташкент,
улица Амира Темура пр.1, дом-2.
Web: <http://www.tadqiqot.uz/>; E-mail: info@tadqiqot.uz
Тел: (+998-94) 404-0000

Editorial staff of the journals of www.tadqiqot.uz
Tadqiqot LLC The city of Tashkent,
Amir Temur Street pr.1, House 2.
Web: <http://www.tadqiqot.uz/>; E-mail: info@tadqiqot.uz
Phone: (+998-94) 404-0000

Chief Editor:

Rizaev Jasur Alimjanovich
MD, DSc, Professor of Dental Medicine,
Rector of the Samarkand State Medical University
ORCID ID: 0000-0001-5468-9403

Deputy Chief Editor:

Ziyadullaev Shukhrat Khudayberdievich
Doctor of Medical Sciences, Vice-Rector for scientific work
and Innovation, Samarkand State Medical University
ORCID ID: 0000-0002-9309-3933

Responsible secretary:

Samieva Gulnoza Utkurovna
doctor of Medical Sciences, Associate Professor,
Samarkand State Medical University
ORCID ID: 0000-0002-6142-7054

Responsible for publication:

Shakhanova Shakhnoza Shaykatovna
PhD Department of Oncology
Samarkand State medical university
ORCID ID: 0000-0003-0888-9150

EDITORIAL BOARD:

Aripova Tamara Uktamovna

*Director of the Institute of Immunology and Human Genomics -
Doctor of Medical Sciences, Professor, Academician of the
Academy of Sciences of the Republic of Uzbekistan*

Jin Young Choi

*Professor Department of Oral and Maxillofacial
Surgery School of Dentistry Dental Hospital
Seoul National University, President of the
Korean Society of Maxillofacial Aesthetic Surgery*

Abdullaeva Nargiza Nurmatovna

*Doctor of Medical Sciences, Professor, Vice-Rector
Samarkand State Medical University, Chief Physician of
the 1st Clinic **ORCID ID:** 0000-0002-7529-4248*

Khudoyarova Dildora Rakhimovna

*Doctor of Medical Sciences, Associate Professor,
Head of the Department of Obstetrics and Gynecology,
Samarkand State Medical University No.1
ORCID ID: 0000-0001-5770-2255*

Oripov Firdavs Suratovich

*Doctor of Medical Sciences, Associate Professor,
Head of the Department of Histology, Cytology and
Embryology of Samarkand State Medical University.
ORCID ID: 0000-0002-0615-0144*

Mavlyanov Farkhod Shavkatovich

*Doctor of Medicine, Associate Professor of Pediatric
Surgery, Samarkand State Medical University
ORCID ID: 0000-0003-2650-4445*

Akbarov Mirshavkat Mirolimovich

*Doctor of Medical Sciences,
Republican Specialized Center of Surgery
named after academician V.Vakhidov*

Saidov Saidamir

*Doctor of Medical Sciences,
Tashkent Pharmaceutical Institute,
ORCID ID: 0000-0002-6616-5428*

Babadjanov Oybek Abdujabbarovich

*Doctor of sciences in medicine, Tashkent Pediatric
Medical Institute, Department of Dermatovenerology,
pediatric dermatovenerology and AIDS
ORCID ID: 0000-0002-3022-916X*

Terebaev Bilim Aldamuratovich

*Candidate of Medical Sciences, Associate Professor,
Tashkent Pediatric Medical Institute,
Faculty of Children Department of Surgery.
ORCID ID: 0000-0002-5409-4327.*

Yuldashev Botir Akhmatovich

*Candidate of Medical Sciences, Associate Professor of
Pediatrics, Neonatology and Propaedeutics of Pediatrics,
Samarkand State Medical University No. 2.
ORCID ID: 0000-0003-2442-1523*

Ibragimova Malika Xudayberganova

*Doctor of Medical Sciences, Professor,
Tashkent State Dental Institute
ORCID ID: 0000-0002-9235-1742*

Rahimov Nodir Maxammatkulovich

*DSc, Associate Professor of Oncology,
Samarkand State Medical University
ORCID ID: 0000-0001-5272-5503*

Page Maker: Khurshid Mirzakhmedov

Контакт редакций журналов. www.tadqiqot.uz
ООО Tadqiqot город Ташкент,
улица Амира Темура пр.1, дом-2.
Web: <http://www.tadqiqot.uz/>; E-mail: info@tadqiqot.uz
Тел: (+998-94) 404-0000

Editorial staff of the journals of www.tadqiqot.uz
Tadqiqot LLC The city of Tashkent,
Amir Temur Street pr.1, House 2.
Web: <http://www.tadqiqot.uz/>; E-mail: info@tadqiqot.uz
Phone: (+998-94) 404-0000

OBSTETRICS AND GYNECOLOGY

1. **Khasanova A. Dilafruz**
ANEMIA IN PREGNANT WOMEN WITH RHEUMATOID ARTHRITIS.....9
2. **Yuldasheva I. Farangiz, Samiyeva U. Gulnoza, Zakirova I. Nodira**
TREATMENT OF VAGINAL DYSBIOTIC DISORDERS IN PREGNANT WOMEN
BEFORE CHILDBIRTH.....17

PEDIATRIC SURGERY

3. **Chuliev S. Matyakub, Tilavov Kh. Uktam, Terebaev A. Bilim, Narbaev T. Temur, Khotamov N. Khusniddin**
TYPES, CAUSES, SYMPTOMS AND TREATMENT PRINCIPLES OF PRIMARY
COMPLICATED SKIN AND SOFT TISSUE INFECTIONS.....23
4. **Yusupov A. Shuxrat, Xakimova R. Leyla**
EPIDEMIOLOGY AND RISK FACTORS FOR UROLITHIASIS IN CHILDREN.....30

INFECTIOUS DISEASES

5. **Eshboev H. Egamberdi, Mamov S. Otabek, Djumaev D. Normurod, Abduvakhitova N. Indira, Toxtayev Sh. Gayratillo**
THE SOLUTION OF MODERN PROBLEMS ON THE ETIOLOGY OF
DERMATOMYCOSIS AND LABORATORY DIAGNOSTIC METHODS.....38
6. **Turaev T. Bobor, Ochilov U. Ulugbek, Turgunboev U. Anvar, Kubaev M. Rustam**
CLINICAL AND LABORATORY CHANGES IN THE LIVER AFTER CONDUCTING
COVID-19 IN PATIENTS WITH ALCOHOLISM.....47
7. **Yarmukhamedova A. Nargiza, Rakhimova Sh. Visola, Egamova N. Intizor**
CLINICAL AND IMMUNOLOGICAL ASPECTS OF CO-INFECTION WITH HIV AND
VIRAL HEPATITIS C.....52
8. **Yarmuhamedova Q. Mahbuba, Ergasheva Y. Munisa, Quchkarova A. Shirina**
SCREENING OF HUMORAL IMMUNE RESPONSE ON THE FREQUENCY OF
DETECTION OF SPECIFIC ANTIBODIES TO TORCH-INFECTIONS OF THE
POPULATION OF SAMARKAND REGION.....60
9. **Karimova A. Maqsuda, Ibrahimova R. Hamida, Asatova B. Nafisa**
STUDY OF CHANGES IN THE MICROBIOLOGICAL LANDSCAPE OF THE COLON
UNDER THE INFLUENCE OF A GENE-MODIFIED PRODUCTS.....66

MORPHOLOGY

10. **Akhmedova M. Sayora, Masharipova K. Khulkar**
TOPOGRAPHY BILIARY TRACT OF CHILDREN OF DIFFERENT AGE.....74
11. **Akhmedov I. Adkham, Fayazov Dj. Abdulaziz**
SOME MORPHOFUNCTIONAL CHANGES OF THE DUODENAL GLANDS IN
THERMAL INJURY.....85
12. **Blinova A. Sofya, Oripov S. Firdavs, Yuldasheva B. Nilufar, Hotamova B. Gulzoda**
RECONSTRUCTION OF PULMONARY BLOOD VESSELS IN INFLAMMATORY
PATHOLOGY.....89
13. **Fayazov Dj. Abdulaziz, Akhmedov I. Adkham**
MORPHOLOGY OF DUODENAL STRUCTURES CONTAINING STRESS
MONOAMINES IN EXPERIMENTAL THERMAL INJURY.....93

14. **Ismoilov I. Ortik, Korzhavov O. Sherali, Suleymanov I. Remzi, Kuvondikov B. Golib Bedirasulovich.**
THE THYMUS GLAND MORPHOLOGICAL ASPECTS IN CHILDREN.....99
15. **Mustafoev Zafarjon, Olimova Aziza**
MORPHOLOGICAL AND MORPHOMETRIC PARAMETERS OF THE LIVER OF WHITE OUTBREED RATS SUFFERING EXPERIMENTAL CRANIO-BRAIN INJURY AFTER MEDICAL CORRECTION.....107
16. **Nortaeva A.Nukufar, Axmedova M.Sayora, Nortaev B.Azamat**
ANTHROPOMETRY MEASUREMENTS OF THE FACIAL-MAXIMAL SYSTEM IN CHILDREN OF DIFFERENT AGES.....114
17. **Hamdamova T. Muhayyo, Nurulloyev O.Sukhrob**
MORPHOLOGY OF WHITE RATS KIDNEY UNDER ACUTE RADIATION.....119
18. **Oripov S.Firdavs, Kholkhozhaev I.Farrukh, Mayusupova M.Bivifotima**
MORPHOLOGY OF APUDOCYTES OF THE EPITHELIUM OF THE MUCOUS MEMBRANE OF THE SMALL INTESTINE OF RABBITS OF THE POST-REPRODUCTIVE PERIOD.....125
19. **Nurulloyev O.Sukhrob**
SPECIFIC CHARACTERISTICS OF MORPHOLOGICAL CHANGES IN THE KIDNEYS OF LABORATORY ANIMALS AFTER CHRONIC RADIATION.....132
20. **Yusupova A. Nargiza, Oripov S. Firdavs**
FUNCTIONAL CHANGES OF THE STOMACH UNDER THE INFLUENCE OF ENERGY DRINKS AND THEIR CORRECTION.....137

NEUROLOGY

21. **Khakimova Z. Sohiba, Khamdamova K. Bakhora, Kodirov A. Umid**
LABORATORY DIAGNOSTICS OF INFLAMMATORY METAMORPHISM AND MARKERS OF ENDOTHELIAL DYSFUNCTION IN PATIENTS WITH CHRONIC PAIN SYNDROME WITH BRUCellosis GENESIS DORSOPATHY.....153
22. **Kim A. Olga**
ETIOPATOGENETIC AND CLINICAL NEUROLOGICAL FEATURES OF ISCHEMIC STROKE IN YOUNG PEOPLE DEPENDING ON HETEROGENEITY.....160

ONCOLOGY

23. **Alimkhodzhaeva T. Lola, Nishanov A. Doniyor, Bozorova M. Lutfiyahon, Norbekova Kh. Munira**
CLINICAL SIGNIFICANCE OF CHANGES IN THE RECEPTOR STATUS IN TUMORS OF THE ACCESSORY LOBE OF THE MAMMARY GLAND.....168
24. **Minnulin R. Irkin**
PLASTIC PROSTHETIC SURGERY OF THE BREAST IN DISEASES OF THIS BODY..174
25. **Khasanov S. Ulugbek, Makhamadjanova A. Shakhnoza, Yusupbekov A. Akhrorbek**
MODERN VIEWS FOR THE PROBLEM OF LARYNGEAL PRECARCINOMA DISEASES.....180
26. **Shakhanova Sh Shakhnoza, Rakhimov M. Nodir, Tursunov S. Sherali, Ergashev E. Abdulatif, Davronov E.Eshboy**
MELANOMA OF THE SKIN AND PREGNANCY.....187

OPHTHALMOLOGY

27. **Ulugbekova J. Gulrukh, Adkhamov A. Shokhjakhon**
COMPARATIVE ANALYSIS OF GROWTH INDICATORS OF THE EYE SOCKET IN SUBJECTS AGED 7-12 YEARS LIVING IN ANDIJAN CITY AND IZBOSKAN DISTRICT.....197

28. **Khamraeva S. Lola, Khamroeva A. Yulduz, Bekjanova M. Gulmira**
REASONS FOR LATE SURGICAL TREATMENT OF PATIENTS WITH CONGENITAL CATARACTS.....202

PEDIATRICS

29. **Khalmatova T. Barno, Abdujalilova Maftuna**
EVALUATION OF THE EFFICACY OF THE USE OF MAGNESIUM B6 IN CHILDREN WITH BRONCHIAL ASTHMA ON THE BACKGROUND OF COVID-19.....206
30. **Karzhdavova A. Gulnoza**
VALUE OF CARDIAC MARKERS IN SICK CHILDREN COMMUNITY ACQUIRED PNEUMONIA WITH MYOCARDITIS.....213
31. **Sharipov X. Rustam, Rasulova A. Nodira, Rasulov S. Alisher**
CORRECTION OF VITAMIN D LEVELS IS THE KEY TO PREVENTING HYPOCALCEMIC CONDITIONS.....221

PSYCHIATRY

32. **Ochilov U. Ulugbek**
CLINICAL AND PSYCHOPATHOLOGICAL CHARACTERISTICS OF THE DEVELOPMENT OF ANXIETY-DEPRESSIVE DISORDERS IN ADOLESCENTS.....229
33. **Turakulov S. Uygun, Ochilov U. Ulugbek**
SOCIAL LONELINESS AND THE IMPACT OF LIVING SPACE ON THE MENTAL STATE OF THEIR ADOLESCENTS.....238

REHABILITATION AND SPORTS MEDICINE

34. **Mavlyanova F. Zilola, Afanasyeva V. Victoria, Potapchuk A. Alla**
RESPIRATORY REHABILITATION PROGRAM FOR PATIENTS SUFFERING NEW CORONAVIRUS INFECTION COVID-19.....246

DENTISTRY AND MAXILLOFACIAL SURGERY

35. **Rizaev A. Jhasur, Nurmatov S. Ortik, Ismoilov M. Rajabboy**
RELATIONSHIP OF THE LEVEL OF NEUTROPHILS IN PERIODONTITIS WITH ATHEROSCLEROTIC CARDIOVASCULAR DISEASES.....255
36. **Ibragimova X. Malika, Kamilov P. Khaydar**
IMPROVEMENT OF THE TREATMENT OF CHRONIC CATARRHAL GINGIVITIS IN THE PATHOLOGY OF THE HEPATOBILIARY SYSTEM.....263

FORENSIC-MEDICAL EXAMINATION

37. **Davranova E. Aziza, Yakubov Z. Munis, Rasulova R. Mukhsina, Boymanov Kh. Farkhod**
CLASSIFICATION OF MECHANICAL INJURIES OF THE ORGAN OF VISION. JOURNAL OF BIOMEDICINE AND PRACTICE.....268
38. **Indiaminov I. Sayit, Zhurayev G. Ilkhom**
FEATURES OF THE COURSE, CONSEQUENCES AND SEVERITY OF INTRA-ARTICULAR FRACTURES DUE TO THE EXPOSURE TO DULL OBJECTS.....276
39. **Indiaminov I. Sayit, Norkulov F. Urol**
SOME FEATURES OF DAMAGE TO THE HEAD STRUCTURE DURING DIFFERENT TYPES OF INJURY FROM THE IMPACT OF DULL OBJECTS.....286

THERAPY

40. **Mukhammadieva M. Sevara, Nabieva A. Dildorakhan, Ziyaeva K. Feruza, Mirhamidov V. Mirziyod, Shiranova A. Shakhnoza**
EVALUATION OF THE EFFECTIVENESS OF A TUMOR NECROSIS FACTOR INHIBITOR IN THE TREATMENT OF ANKYLOSING SPONDYLITIS.....294

TRAUMATOLOGY

41. **Ibragimov Y. Sadulla, Saleev V. Bakhodur, Kholkhudjaye V. Farrux, Abdusamatov N. Shakhridin, Khusainbaev D. Shohrukhbek**
SURGICAL TREATMENT AND PREVENTION OF KNEE JOINT WITH DEFORMING ARTHROSIS.....303
42. **Ahtamov A'zam, Ahtamov Azim**
FUNCTIONAL TREATMENT OF CONGENITAL HIP DISLOCATION IN NEWBORNS AND INFANTS ON AN OUTPATIENT BASIS.....309
43. **Gafurov A. Farrukh, Khodzhanov Yu. Iskandar, Eranov N. Sherzod**
INTRAOSSEOUS OSTEOSYNTHESIS IN DAMAGE TO DISTAL INTERTITIBIAL SYNDESMOSIS.....316
44. **Mamatkulov M. Komiljon, Kholkhudjaye V. Farrux, Khusainbaev D. Shohrukhbek**
METHODS OF EXAMINATION OF PATIENTS WITH LATERAL PATELLAR INSTABILITY.....323
45. **Mamatkulov M. Komiljon, Kholkhudjaye V. Farrux, Khusainbaev D. Shohrukhbek**
OUR EXPERIENCE OF PLASTIC SURGERY OF THE ANTERIOR CRUCIATE LIGAMENT USING THE "ALL INSIDE" METHOD WITH THE TENDONS OF THE POPLITEAL FLEXORS OR THE TENDON OF THE LONG FIBULAR MUSCLE.....335

SURGERY

46. **Abduraxmanov Sh. Diyor, Sherbekov A. Ulugbek**
SURGICAL CHOICE OF PLASTY IN PATIENTS WITH POSTOPERATIVE VENTAL HERNIAS AND ABDOMINOPTOSIS.....340
47. **Abduraxmanov Sh. Diyor, Sherbekov A. Ulugbek**
HERNIO- AND ABDOMINOPLASTY IN PATIENTS WITH POSTOPERATIVE VENTAL HERNIA AND ABDOMINOPTOSIS.....346
48. **Terebaev A. Bilim, Majidov Kh. Temur, Arpiev M. Mirziyod, Abdukodirov A. Oybek**
FOREIGN BODY OF THE GASTROINTESTINAL TRACT (NEEDLE): CASE STUDY..355
49. **Xodjimatov M. Gulomidin, Xakimov M. Dilshodbek, Xamdorov X. Xabibullo, Yaxyoiev M. Sardorbek, Karabaev B. Begzod, Kasimov A. Nosirbek**
RESULTS OF TREATMENT OF PATIENTS WITH THORACOABDOMINAL INJURIES.....360
50. **Sayfulla A. Abdullayev**
CURRENT VIEWS ON THE DIAGNOSIS AND TREATMENT OF DIABETIC FOOT SYNDROME.....369
51. **Ezozbek A. Rizaev, Zafar B. Kurbaniyazov, Sobir E Mamaradzhobov**
FEATURES OF THE CLINIC OF COMPLICATED FORMS OF CHOLELITHIASIS IN ELDERLY AND SENILE PATIENTS.....374
52. **Zafarjon B.Kurbaniyazov, Bobosher A.Mardonov**
SURGERY FOR IATROGENIC INJURIES MAIN BILE DUCTS: CLINIC, DIAGNOSIS AND SURGICAL TREATMENT.....380
53. **Murtazaev I. Zafar, Baysariyev U.Shovkat**
SURGICAL TACTICS IN SPONTANEOUS PNEUMOTHORAX.....392
54. **Tursumetov A. Abdusattar, Zuparov F. Kamoliddin, Agzamova N. Maxmuda**
EVALUATION OF THE RESULTS OF NADAPONEUROTIC ALLOHERNIOPLASTY USING THE VISUAL-ANALOGUE SCALE.....399




УДК: 618.73-009/009.8-041.91:681.32

ISMOILOV Ortik Ismoilovich
KORZHAYOV Sherali Oblakluovich
SULEYMANOV Remzi Ibragimovich
KUVONDIKOV Golib Berdirasulovich
Samarkand State Medical University

THE THYMUS GLAND MORPHOLOGICAL ASPECTS IN CHILDREN (LITERATURE REVIEW)

For citation: Ismoilov I. Ortik, Korzhayov O. Sherali, Suleymanov I. Remzi, Kuvondikov B. Golib Berdirasulovich. The thymus gland morphological aspects in children. Journal of Biomedicine and Practice. 2023, vol. 8, issue 1, pp. 99-106

 <http://dx.doi.org/10.5281/zenodo.7835260>

ANNOTATION

Objective: to determine the degree of study of scientific literary sources on the morphology of thymus in children.

Methods: More than 30 scientific sources have been analyzed in the literature review of thymus morphology in children.

Results: in the process of studying scientific sources on the morphological aspects of the thymus gland in children, little has been studied; mainly a lot of information has been obtained on morphology by the older age of the thymus in humans.

Conclusions. Our results examined the microscopic structural features of the capsule, trabecules and stroma of all morphofunctional zones of the thymus lobules in full-term newborns. Morphofunctional features of the cellular composition of various zones of the thymus lobules were established normally.

Keywords: morphology, thymus gland; histology; endocrine organs; organs of the immune system; newborn.

ИСМОИЛОВ Ортик Исмоилович
КОРЖАВОВ Шерали Облакулович
СУЛЕЙМАНОВ Ремзи Ибрагимович
КУВОНДИКДОВ Голиб Бердирасулович
Самаркандский государственный медицинский университет

МОРФОЛОГИЧЕСКИЕ АСПЕКТЫ ВИЛОЧКОВОЙ ЖЕЛЕЗЫ У ДЕТЕЙ (ОБЗОР ЛИТЕРАТУРЫ)

АННОТАЦИЯ

Цель: определить степень изученности научных литературных источников по морфологии тимуса у детей.

Методы: В изучении обзора литературы морфологии тимуса у детей проанализировано более 30 научных источников.

Полученные результаты: в процессе изучения научных источников по морфологическим аспектам вилочковой железы у детей мало изучено, основном много информации получено по морфологии старшим возрастом тимуса у человека.

Выводы. В наших результатах изучались микроскопические особенности строения капсулы, трабекул и стромы всех морфофункциональных зон долек тимуса у доношенных новорожденных. Установили морфофункциональные особенности клеточного состава различных зон долек тимуса в норме.

Ключевые слова: морфология, вилочковая железа; гистология; эндокринные органы; органы иммунной системы; новорожденный.

ISMOILOV Ortik Ismoilovich
KORJAVOV Sherali Oblakulovich
SULEYMANOV Remzi Ibragimovich
QUVONDIQOV G'olib Berdirasulovich
Samarqand davlat tibbiyot universiteti

**BOLALARDAGI AYRISIMON BEZINING MORFOLOGIK JIHATLARI
(ADABIYOTLAR SHARHI)**

ANNOTATSIYA

Maqsad: bolalarda timus morfologiyasi bo'yicha ilmiy adabiy manbalarning o'rganish darajasini aniqlash.

Material va Metodlar: Timus morfologiyasi adabiyotini o'rganishda bolalarda 30 dan ortiq ilmiy manbalar tahlil qilindi.

Olingan natijalar: ayrisimon bezining morfologik jihatlari bo'yicha ilmiy manbalarni o'rganish jarayonida bolalarda kam o'rganilgan, asosan, katta yoshdagi insonlarning timus morfologiyasi bo'yicha ko'p ma'lumotlar ko'proq uchramoqda.

Xulosalar. Bizning natijalarimizda yetilib tug'ilgan chaqaloqlar ayrisimon bezining mikroskopik tuzilishining xususiyatlari, kapsulasi, trabekulalari hamda barcha bo'laklaridagi stromasining morfofunktsional ahamiyati o'rganib chiqildi. Ayrisimon bezning bo'laklarining xar xil zonalaridagi morfofunktsional xususiyatlari normada aniqlandi.

Kalit so'zlari: morfologiya, ayrisimon bez, gistologiya, endokrin a'zolar, immune tizimi a'zolari, yangi tug'ilgan chaqaloq.

Relevance. Doctors based on the results of chest X-ray quite often diagnosed an increase in the thymus gland (VV) in children, and the degree of this increase was diagnosed by calculating the cardiomyic-thoracic index (CTTI). CTTI by J. Gewolb et al. is the ratio of the width of the cardiothymic shadow at the site of tracheal bifurcation to the transverse diameter of the chest at the level of the diaphragm dome [1]. The CTTI of 0.23-0.26 corresponded to normal BL dimensions; 0.33-0.37 - grade I timomegaly (TM); 0.37-0.42 - grade II timomegaly; CTTI greater than 0.42 - grade III timomegaly [2]. The thymus gland (thymus) of the newborn is relatively large. The thymus is located in the front of the upper mediastinum, behind the sternum and has the shape of a pyramid facing upward. Behind the pharyngeal gland are the pulmonary trunk, ascending aorta, as well as the superior hollow and shoulder veins, from the sides there are leaflets of the mediastinal pleura, below - the pericardium [10-11]. Skeletotopy: the lower border of the gland corresponds to the cartilages of the III-IV ribs, the upper - protrudes 1-1.5 cm above the sternum. This fact must be taken into account in the production of the lower tracheotomy [4-8]. The shape of the goiter gland is subject to large individual fluctuations. It distinguishes between two lobes and spurs, the position of which is

unstable. The right lobe is usually larger than the left lobe. Sometimes there are additional goiter glands. The gland has a lymphoepithelial structure. It consists of epithelial cells (giving it a mesh structure) and a large number of lymphocytes. With age, the amount of connective tissue increases, adipose tissue accumulates. However, this method of assessing the morphometric parameters of VF did not quite suit the doctors due to the radiation load, the lack of a three-dimensional measurement of the organ, the lack of the ability to monitor the dynamics of the organ longitude. The literature contains information on the detection of hyperplasia (thymomegaly) of the thymus gland during computed tomography (CT) of the mediastinum [3]. The disadvantage of CT is the presence of a high radiation load, which limits its use in pediatric practice [3-5]. CT devotes a number of publications to the diagnosis of VV volumetric formations: thymus [6-8], thymolip [9, 10], VV cyst [5, 11], aberrant thymus [10, 12]. In addition, this method, according to the authors, is the leading in the diagnosis of the listed variants of thymus pathology [13]. After birth, the thymus increases markedly, but its relative weight decreases. After 13 years, the size of the gland begins to decrease rapidly, and by the age of 25 it atrophies, but its remains remain for a long time in the fiber located in the anterior mediastinum. The thymus hormone is thought to boost bone growth and boost muscle activity; after puberty, this function transitions to the sexual glands. Hypertrophy of the thymus gland is usually combined with hyperplasia of the entire lymphatic apparatus of the child and underlies the clinical symptom complex. There is an assumption that the development of the thymus is in close connection with the central nervous system (for example, anencephals do not have it). Thus, at present, it should be considered that in a growing body, the thymus plays a role as an organ correlating growth processes, as well as complex immunological relationships in the body of a child subjected to numerous exogenous influences [9-13].

There are publications on the use of magnetic resonance imaging (MRI). This method is not invasive, allows obtaining a three-dimensional image nature, does not give radiation load; therefore, it can be repeatedly used in dynamic observation. Imaging in MRI allows you to obtain an almost anatomical image of the VV, with a well-differentiated tissue of the VV and surrounding fiber.

In the literature of recent years, there are quite a few reports on the use of ultrasound of the thymus gland in pediatric practice, the authors of which, as advantages of this method, note its high effectiveness, safety for the patient, the absence of contraindications for the study, the possibility of dynamic monitoring of the structure and size of the thymus, including in newborns [17, 18]. Echographic criteria for assessing the thymus gland are linear parameters (length, width, anteroposterior size), based on which it is possible to calculate the mass, volume of the organ, and after birth the thymus index [19]. A great advantage of sonography over radiography is the ability to determine in a patient "decrease" in thymus size, which may correspond to hypoplasia and atrophic changes of the organ in the IV-V stages of the so-called accidental involution [20, 21].

The national guide for the radiation diagnostics of the chest organs (including the thymus gland) defines the indications for ultrasound examination: unclear allergic manifestations; preparation for operations or vaccinations; the atypically high weight of the child; severe diseases suffered and/or their atypical course; radiologically detected dilation of the mediastinal shadow; cases of sudden death syndrome in childhood among relatives of the child [22].

There are few publications in the domestic and foreign literature devoted to the problem of normative parameters of ultrasound assessment of the state of thymus in children [9, 13, 21, 23, 24]. The existing difference in sonometric parameters of the thymus in different regions, but similar in age groups, most likely arises due to territorial, ethnic, and environmental characteristics, variability of bacterial and viral flora, living conditions and other factors affecting the child's body. Nevertheless, currently, some works give an idea of the regional regulatory size of VF, taking into account age [21, 25, 26]. However, the generally accepted reference population values for the above parameters of the thymus (mass, volume) in children have not been established, which greatly complicates the process of designating TM, hypoplasia, atrophy as phenomena beyond the norm. Probably, for this reason, at the moment, ultrasound examination of VL is not included in the standard of examination of healthy children [27].

Literary scientific analysis. The interest of researchers and practitioners (pediatricians, endocrinologists, immunologists, and pulmonologists) is primarily due to the significant prevalence of thymomegaly syndrome (TM) in the pediatric population and its connection with excess respiratory morbidity. Mainly due to the high variability in the size of VF, in the works of domestic and foreign researchers there is no unambiguous assessment of its bipolar transformations. There is a certain problem in terminology. The following definitions are used to indicate an increase in VV in children in the medical literature: thymomegaly (TM), thymus hyperplasia, true thymus hyperplasia, thymus ricochet hyperplasia, thymus hypertrophy, persistent thymomegaly, accidental involution (AI), thymus gland enlargement syndrome (VVS), lymphatic-hypoplastic. In some sources, the use of such definitions as: "large thymus," "small thymus" and "medium-sized thymus" is found, along with the concepts of "thymomegaly" and "thymus hypoplasia" [13, 27]. In the domestic literature of recent years, the term "thymomegaly," "accidental involution" is more often used, in English - the concept of "thymus hyperplasia," "acute thymus involution," "thymus atrophy" is more common [26, 14, 8-16].

The term "thymomegaly," by which morphologists mean an increase in the volume and mass of the thymus above the limit age values with the preservation of normal histoarchitectonics of the organ, was proposed in 1970 by prof. I.E. Ivanovo [11, 12]. Beginning in 1970, the term became widely used by both morphologists and clinicians. Often, the authors point out that TM is accompanied by a decrease in the function of VL, which determines the unfavorable quality of life of these children [1, 27, 24, 25]. Thymomegaly was divided into congenital (primary) and acquired (secondary) [52]. Kuzmenko L.G. considers congenital TM as a variant of fetodysplasia, malformation [20]. Loginova N.P. also describes the close relationship of congenital heart defects with morphological changes in the thymus and its reduced activity in relation to the production of thymulin and T-lymphocytes with CD3 + differentiation clusters. The author also notes a direct correlation relationship between the complexity of the defect, the level of thymopoiesis and the increment of thymulin, which are significantly lower than in healthy children [25].

A number of published works suggest the hereditary nature of thymomegaly [2, 3]. There are analytical data [10, 15, 16-18] from outpatient charts, case histories that describe some features of the history and constitution of children with congenital SUVH and TM, as well as factors and markers of the risk of their intrauterine formation, for example, such as: aggravated family history of autoimmune and oncological diseases, the presence of chronic nasopharyngeal pathology in blood relatives [20, 29]; birth by caesarean section [10, 19]; high level of diseases in mothers, such as anemia (62.4%), pyelonephritis (28.2%), obesity (34%), iodine deficiency conditions (37%), TORCH syndrome (46%) [18, 20]; presence of chronic hypoxia in the fetus in the antenatal period, birth trauma [10, 20, 29].

According to T.V. Matkovskaya, there is a direct relationship between the age of parents and the development of TM in their children [24, 27].

It is believed that the acquired TM is based on primary or secondary hypocorticism, which develops under the influence of various pathological conditions and diseases (Addison's disease, injuries, inflammatory lesions of the adrenal cortex or its destruction in massive hemorrhages and tumor process, hypothalamic syndromes in vasculitis, progressive, often occlusive hydrocephalus, brain tumors, etc.). At the same time, immunodeficiency syndrome is noted, similar to that of congenital TM [22].

The question of whether the increase in VL is a variant of the norm for young children or is a pathology is still being discussed [17, 22, 29].

Other authors also considered the increase in VV physiological, in the process of the same active adaptation of the child's body, but now to non-sterile conditions of the outside world [12, 14, 15]. Brum EB considers radiologically detectable Thymus enlargement in young children also as a normal physiological state due to the peculiarities of the structure of VF [16].

There is also a directly opposite opinion that TM is a pathological condition accompanied by immunodeficiency and impaired function of the neuro-endocrine system [14, 17-22]. At the same time, TM was attributed to the number of heterogeneous states in which the increase in VV could be both the result of accidental involution (direct violation of TM function) and the result of secondary

changes in this organ associated with other diseases (for example, thymus cyst) [23]. Separate sources discussed the reasons for the increase in VV and its stage (for example, I-III) within the framework of accidental involution, which was considered from the standpoint of G. Selye's theory. [8, 9, 10].

It should be noted that information on the prevalence of thymomegaly in childhood is quite contradictory. In chest radiographs of children, thymomegaly was detected with a frequency of 8.1% [3] to 80-85% [18, 19]. According to sectional data, the frequency of increased VF was recorded among stillborn fetuses 28-42 weeks in 36% of cases, and in 16% among children who died in the first year of life; in those who died between the ages of 1 and 5, this percentage is significantly reduced to 0.2% [12, 17, 20]. According to A.V. Tyazhkaya, TM occurs in 12.8% of young children [22]; data of Yu.P. Tkachenko - in 29.9%); Sh.G. Huseynov - 37.1% [21]. In the work of Z.I. Esmurzieva et al. it was shown that according to the results of thymus ultrasound, the incidence of thymomegaly of varying severity in full-term newborns reaches 21.5%. The incidence of grade III thymomegaly in the population, according to the author, does not exceed 4%, and grade III HV hypoplasia does not exceed 2% [28]. In boys, thymomegaly is 2-2.5 times more common than in girls [11, 13, 18]. There are data on spontaneous regression of VL sizes by 3-5 years of age in 98% of children [23].

According to L.G. Kuzmenko et al., signs of various degrees of dysembryogenesis are observed in 90% of children with thymomegaly [15, 20]. Other authors note that these children have higher growth and weight indicators [15, 22, 28, 29], the presence of microanomalias and malformations with a frequency of 23.1% to 80.9% [5, 6, 7, 8].

There is evidence that this category of children has more frequent cases of hypoplasia and atrophy of the adrenal cortex [4, 17], signs of thyroid hypofunction [4, 7, 9, 10, 18] and genital glands [14, 19]. Work was presented with registration of the decrease in the level of thymic hormones in the serum of children with TM and impaired endocrine organ function [14, 15, 18, 19, 20-23]. All the above facts did not rule out the development to one degree or another of polyglandular insufficiency syndrome in children with a similar transformation of VV [17, 18, 19, 20].

The reviewed literature pays attention to the peculiarities of the neuropsychiatric development of children with TM, which are characterized by inactivity, delayed reactions, high tendon reflexes, rapid fatigue, and a decrease in internal inhibition processes [10, 18, 23, 27, 28]. So, for example, in the work of L.G. Kuzmenko et al. [30], when studying neuropsychiatric features in young children with thymomegaly (n = 90), it was found that schizoids (51%) and hyperexposure (33%) predominate among them. The proportion of hyperthymics is 10%, and healthy children - 6%.

The national pediatric literature is dominated by the view that TM is an immunodeficiency syndrome with a predominant T-cell link disorder [27, 29, 30], in which there is a decrease in the level of functional activity of T-lymphocytes, a low level of thymic serum activity and functional activity of the B-cell link of the immune system [1-9, 13-15]. Despite the high or normal content of B-lymphocytes, a decrease in the number of immunoglobulins of classes G and A was noted in serum in TM [3-8, 11-16]. The level of immunoglobulins of class M can be both increased [19] and normal [118]. There was an increase in the absorption capacity of neutrophils and macrophages with a decrease in their digestion capacity [7, 8]. It is noticed that at children of early age with a thymomegaly all indicators of T-cellular immunity are significantly reduced: the maintenance of T-cages (CD3+), T-helperov (CD4+ of T-cages), cytotoxic T-lymphocytes (CD8+ of T-cages), regulatory T-cages (CD4+CD25hi) and also the activated T-lymphocytes (CD4+CD25lo and CD3+HLA-DR+). An increase in the severity of these changes was observed as the degree of thymomegaly progressed, and T lymphopenia is associated with a weakening of the emigration of T cells from the thymus to the peripheral part of the immune system. Such changes, according to the authors, cause a functional deficiency of the T-cell link of the immune system and can contribute to the manifestation of its failure, especially in conditions of increased load with pathogens [12].

Donetsk A.D. et al. [13] interpreted the revealed decrease in TREC in thymomegaly in children as evidence of a decrease in thymic T-lymphopoietic function. Such attenuation of T-lymphocyte emigration due to thymopoiesis disturbance resulted in compensatory enhancement of homeostatic proliferation, which in turn distorted the population structure of peripheral T-lymphocytes, which could lead to the development of autoimmune diseases in the long term. In old age, the ability of

thymus tissue to generate new naive T cells and fight new threats is practically absent, which makes a person open to infectious diseases, and vaccination is less effective [12, 13]. Timomegaly and often and/or a long-term sick child. Lymphatic diathesis. The problem of an often ill child and the reactivity of his immune system requires a certain emphasis. This problem is far from unambiguous, it is more often based on socio-economic, environmental, biological and other factors. Traditionally, in the Russian Federation, an increased respiratory incidence is associated with a relatively insufficient immune protection of a child in a certain age period (from 1 month to 5 years). This applies more to organized childhood, where the problem lies in excess infection.

At the same time, Kuzmenko's proposal L.G. et al. [27-36] denote thymus transformations by terms: megalotimus, microtimus, emphasizing, in a certain part, the functional nature of these changes (voltage - overvoltage - exhaustion) and the complexity of predicting the further morphological evolution of the organ. But, since the morphology and functioning of any organ is dialectically inseparable, all these states (polar transformations) should negatively affect the sending of functions by the iron by definition. This is often the case. It all depends on the depth and level of assessment of the morphological substrate and the functional state of the organ (integral or its individual functions). And, naturally, there will come a time when a more accurate morphological assessment of organometric transformations of VF (electron microscopy, immunohistochemistry, etc.) and a more accurate assessment of its specialized functions (identification of various biomarkers) will be given [23-32].

Currently, we consider it advisable to designate the stages (degrees) of increasing or decreasing the morphometric parameters of VL, since these additions make it possible to longitudinal observation, study, and, if necessary, correct pathological conditions associated with VL depending on the depth (degree) of its transformation.

REFERENCES / СНОСКИ / ИҚТИБОСЛАР:

1. Aiman A. L. R. et al. The Enigmatic Functional Role of Thymus Gland in Fighting Against SARS-CoV-2 and COVID-19-Literature Review. – 2021.
2. Ageeva V. A. Morphology of the thymus of a growing organism under the influence of dosed hypodynamy and hypokinesia: dis. - St. Petersburg: VA Ageeva, 2017.
3. Artishevsky A. A. Debating issues of the development of thymus. – 2016.
4. Bashmakov O. A. Microcirculatory channel and vascular tissue relationships of a human thymus capsule in pre-and postnatal ontogenesis: dis. - M.: OA Bashmakov, 2018.
5. Bahronov A.R. and others. Use of combined antiseptics in the treatment of acute pharyngitis//Bulletin of the Kazakh National Medical University. – 2014. – №. 2-3. - S. 14-15.
6. Bibikova AA, Pikalova LP, Blinova NV, Medvedeva AA. Pathomorphology of the thymus gland in children of the first three years of life in the Tver region in 2016. Tver Medical Journal. 2020; (4): 18-22.
7. Breusenko D.V. and others. Modern ideas about the morphology of the thymus//Pediatrician. – 2017. – T. 8. – №. 5. - S. 91-95.
8. Galeeva E. N. Morphological characteristic of the functional zones of human thymus in the intermediate fetal period of ontogenesis//Orenburg Medical Bulletin. – 2015. – T. 3. – №. 2 (10).
9. Gomon M. S. and others. Macroscopic features of children's thymus according to CT images taking into account age and sex//Bulletin of Volgograd State Medical University. – 2020. – №. 2 (74). - S. 57-60.
10. Huseynov T. S. and others. Morphology of colon lymph nodules in humans in ontogenesis//News of higher educational institutions. Volga region. Medical sciences. – 2015. – №. 3 (35). - S. 5-14.
11. Islamov Sh. E. and others. Defects in the provision of medical care in the practice of otorhinolaryngology//Achievements in science and education. – 2020. – №. 4 (58).

12. Jacobs M. T., Frush D. P., Donnelly L. F. The right place at the wrong time: historical perspective of the relation of the thymus gland and pediatric radiology //Radiology. – 1999. – Т. 210. – №. 1. – С. 11-16.
13. Korzhavov S. O. and others. The role of the Latin language in medicine and in the modern world//International Scientific and Practical Conference World science. – ROST, 2017. – Т. 5. – №. 6. - S. 40-42.
14. Kulida L.V. Morphology of the thymus and placenta in fetuses and newborns with extremely low body weight: dis. - Yaroslavl: LV Kulida, 2010.
15. Khusanov E. U., Ismoilov O. I., Korzhavov Sh. O. Influence of umbilical cord blood cell preparations on skin morphology//International Scientific Review of the Problems of Natural Sciences and Medicine, Boston, USA. – 2019. - С. 383-394.
16. Khusanov E. U., Korzhavov Sh. O., Ortikbaeva N. T. Morphological picture of the degranulation of apudocytes of the gastroduodenal zone during experimental fasting//International Scientific and Practical Conference World science. – ROST, 2017. – Т. 5. – №. 5. - S. 59-61.
17. Kuzmenko LG. Comments to discussion about human constitution, constitutional types and different diatheses. Pediatrics. 2005; 84(5): 76-84.
18. Lastovka I. N., Matveev V. A. Assessment of the magnitude of the thymus gland in newborns according to ultrasound research//Problems of health and ecology. – 2007. – №. 4. - S. 38-42.
19. Lemons D, McGinnic W. Genomic evolution of Hox gene clusters. Science. 2016
20. Loginova N.P. Immunomorphological aspects of the structure of thymus in children of the first year of life in congenital heart defects//Medical almanac. – 2015. – №. 2 (37). - S. 112-116.
21. Mudrak DA, NAvolokin NA, Myl'nikov AM, Polozhenkov AE, Maslyakova GN. Histological signs of the thymic enlargement. J of Anatomy and Histopathology. 2020
22. Nicholls G, Martin R, Wallace B, Fuchs P. From Neuron to Brain. M., 2013.
23. Oblakulovich K. S. et al. The Thymus Gland (Thymus) Aspects in Children (Review of Literature) //Central asian journal of medical and natural sciences. – 2022. – Т. 3. – №. 2. – С. 9-16.
24. Patel P. M. et al. Normal thymic uptake of FDG on PET imaging //Clinical nuclear medicine. – 1996. – Т. 21. – №. 10. – С. 772-775.
25. Polotsky B.E. and others. Thymus neoplasms (literature review)//Siberian Oncology Journal. – 2008. – №. 1. - S. 75-84.
26. Sarenko A. A. Topographic-anatomical justification of the study of the thymus gland in prenatal ontogenesis//Bulletin of Orenburg State University. – 2011. – №. 16 (135). - С. 343-344.
27. Savino W. The thymus gland is a target in malnutrition //European journal of clinical nutrition. – 2002. – Т. 56. – №. 3. – С. S46-S49.
28. Sikandar A, Shahzaib, Ullah N. Microarchitecture of the thymus gland, its age and disease-associated morphological alterations, and possible means to prolong its physiological activity. Thymus, 2020.
29. Shamatov I. Ya., Khushvakova N. Zh., Iskhakova F. Sh. Comprehensive treatment of acute laringites//Collection of scientific articles based on the results of the International Scientific Forum. – 2019. – Page 98.
30. Рахимов Н. М. и др. клинико-рентгенологическая и компьютерно-томографическая характеристика тимомы //Журнал биомедицины и практики. – 2022. – Т. 7. – №. 2.
31. Rovda Yu. I. and others. Aspects of childhood thymus gland (part iv). timus and covid-19//Mother and child in Kuzbass. – 2021. – №. 4 (87). - S. 17-26.
32. Silantyeva I.V. and others. Anatomological and morphological features and methods of assessing the transverse size and volume of the thymus gland in children//Mother and child in Kuzbass. – 2011. – №. 2. - S. 11-16.
33. Tolstova E. M., Zaitseva O. V. Physiology and pathology of the thymus in childhood//Pediatrics. Magazine named after MR. Speransky. – 2018. – Т. 97. – №. 6. - S. 166-172.

34. Volkov V.P. Functional immunomorphology of the thymus in the aspect of ontogenesis//Innovations in science. – 2015. – №. 8 (45).
35. Zahid M. et al. Morphofunctional state of thymus during the introduction of the immunomodulator "Polyoxidonium "//Bulletin of the Chuvash State Pedagogical University named after IYA Yakovlev. – 2011. – №. 4-1. - S. 88-93.
36. Zheleznov L. M. and others. Differences in the topography of the organs of the thoracic cavity of the fetus depending on the level relative to the spine//Bulletin of new medical technologies. – 2012. – Т. 19. – №. 2. - S. 172-175.

БИМЕДИЦИНА ВА АМАЛИЁТ ЖУРНАЛИ

8 ЖИЛД, 1 СОН

ЖУРНАЛ БИМЕДИЦИНЫ И ПРАКТИКИ

ТОМ 8, НОМЕР 1

JOURNAL OF BIOMEDICINE AND PRACTICE

VOLUME 8, ISSUE 1

Контакт редакций журналов. www.tadqiqot.uz
ООО Tadqiqot город Ташкент,
улица Амира Темура пр.1, дом-2.
Web: <http://www.tadqiqot.uz/>; E-mail: info@tadqiqot.uz
Тел: (+998-94) 404-0000

Editorial staff of the journals of www.tadqiqot.uz
Tadqiqot LLC The city of Tashkent,
Amir Temur Street pr.1, House 2.
Web: <http://www.tadqiqot.uz/>; E-mail: info@tadqiqot.uz
Phone: (+998-94) 404-0000